


PIPES




←OD→

API PIPE ERW & SEAMLESS PIPE

PIPES
30

API PIPES ERW & SEAMLESS PIPES				
Outside Diameter		Wall Thickness		Weight
Size	mm	Sch No	mm	kg/m
k	10.3	40 (std)	1.73	0.36
		80 (XS)	2.41	0.46
¼	13.7	40 (std)	2.24	0.63
		80 (XS)	3.02	0.80
O	17.1	40 (std)	2.31	0.85
			3.20	1.10
½	21.3	40 (std)	2.77	1.27
		80 (XS)	3.73	1.62
		(XXS)	7.47	2.55
¾	26.7	40 (std)	2.87	1.68
		80 (XS)	3.91	2.19
		(XXS)	7.82	3.63
1	33.4	40 (std)	3.38	2.50
		80 (XS)	4.55	3.23
		160	6.35	4.23
		(XXS)	9.09	5.45
1¼	42.2	40 (std)	3.56	3.38
		80 (XS)	4.85	4.47
		160	6.35	5.60
		(XXS)	9.70	7.76
1½	48.3	40 (std)	3.68	4.05
		80 (XS)	5.08	5.41
		160	7.14	7.24
		(XXS)	10.16	9.55
2	60.3		2.11	3.02
			2.77	3.93
			3.18	4.47
			3.58	5.00
		40 (std)	3.91	5.44
			4.37	6.03
			4.78	6.54
		80 (XS)	5.54	7.48
			6.35	8.45
			7.14	9.35
		160	8.74	11.11
		(XXS)	11.07	13.45
2½	73.0		2.11	3.68
			2.77	4.80
			3.18	5.47
			3.58	6.14

API PIPES ERW & SEAMLESS PIPES				
Outside Diameter		Wall Thickness		Weight
Size	mm	Sch No	mm	kg/m
2½	73.0		3.96	6.75
			4.37	7.40
			4.78	8.04
		40 (std)	5.16	8.62
			5.49	9.13
			6.35	10.44
		80 (XS)	7.01	11.41
		160	9.52	14.91
3	88.9	(XXS)	14.02	20.39
			2.11	4.51
			2.77	5.88
			3.18	6.72
			3.58	7.54
			3.96	8.30
			4.37	9.10
			4.78	9.91
		40 (std)	5.49	11.29
			6.35	12.93
3½	101.6		7.14	14.39
		80 (XS)	7.62	15.27
		160	11.13	21.33
		(XXS)	15.24	27.67
			2.11	5.17
			2.77	6.75
			3.18	7.70
			3.58	8.65
4	114.3		3.96	9.53
			4.37	10.47
			4.78	11.39
		40 (std)	5.74	13.57
			6.35	14.91
			7.14	16.62
		80 (XS)	8.08	18.62
			2.11	5.84
	2.77	7.61		
	3.18	8.70		
	3.58	9.77		
	3.96	10.78		
	4.37	11.84		
	4.78	12.90		



←OD→


API PIPES ERW & SEAMLESS PIPES				
Outside Diameter		Wall Thickness		Weight
Size	mm	Sch No	mm	kg/m
4	114.3		5.16	13.88
			5.56	14.91
		40 (std)	6.02	16.07
			6.35	16.91
		60	7.14	18.86
			7.92	20.79
		80 (XS)	8.56	22.31
		120	11.13	28.30
		160	13.49	33.53
5	141.3		2.11	7.24
			3.18	10.81
			3.96	13.42
			4.78	16.07
			5.56	18.62
		40 (std)	6.55	21.76
			7.14	23.61
			7.92	26.05
			8.74	28.55
		80 (XS)	9.52	30.94
		120	12.70	40.26
		160	15.88	49.08
		(XXS)	19.05	57.41
		6	168.3	
	2.77			11.31
	3.18			12.93
	3.58			14.54
	3.96			16.06
	4.37			17.65
	4.78			19.24
	5.16			20.73
	5.56			22.31
30	6.35			25.35
40 (std)	7.11			28.26
	7.92			31.34
	8.74			34.38
	9.52			37.28
80 (XS)	10.97			42.56
	12.70			48.72
120	14.27			54.20

API PIPES ERW & SEAMLESS PIPES				
Outside Diameter		Wall Thickness		Weight
Size	mm	Sch No	mm	kg/m
6	168.3		15.88	59.65
		160	18.26	67.55
		(XXS)	21.95	79.18
8	219.1		3.18	16.91
			3.96	21.02
			4.78	25.23
			5.16	27.20
			5.56	29.28
		20	6.35	33.31
		30	7.04	36.79
			7.92	41.26
		40 (std)	8.18	42.53
			8.74	45.31
			9.52	49.21
		60	10.31	53.09
			11.13	57.05
		80 (XS)	12.70	64.63
			14.27	72.09
		100	15.09	75.89
10	273.0		15.88	79.54
		120	18.26	90.43
		140	20.62	100.93
		(XXS)	22.22	107.87
		160	23.01	111.25
			3.96	26.29
			4.78	31.59
			5.16	34.06
			5.56	36.69
		20	6.35	41.77
			7.09	46.47
		30	7.80	51.00
			8.74	56.94
		40 (std)	9.27	60.29
			11.13	71.85
		60 (XS)	12.70	81.54
	14.27	91.08		
80	15.09	95.97		
	15.88	100.66		
100	18.26	114.74		
	20.62	128.37		

API PIPE ERW & SEAMLESS PIPE

31 PIPES

PIPES




←OD→

API PIPE ERW & SEAMLESS PIPE

PIPES
32

API PIPES ERW & SEAMLESS PIPES				
Outside Diameter		Wall Thickness		Weight
Size	mm	Sch No	mm	kg/m
10	273.0	120	21.44	133.00
		140	25.40	155.10
12	323.8		4.37	34.42
			4.78	37.57
			5.16	40.51
			5.56	43.66
		20	6.35	49.72
			7.14	55.74
			7.92	61.74
		30	8.38	65.20
			8.74	67.89
		(std)	9.52	73.82
		40	10.31	79.72
			11.13	85.78
		(XS)	12.70	97.44
		60	14.27	108.96
			15.88	120.55
		80	17.48	132.01
			19.05	143.17
			20.62	154.21
		100	21.44	159.85
			22.22	165.29
120	25.40	186.92		
14	355.6		4.78	41.30
			5.16	44.55
		10	5.33	46.07
			5.56	48.01
			6.35	54.68
			7.14	61.32
		20	7.92	67.94
			8.74	74.73
		30 (std)	9.52	81.28
			10.31	87.79
		40	11.13	94.49
			11.91	100.96
		(XS)	12.70	107.38
			14.27	120.14
		60	15.09	126.68
			15.88	132.98
			17.48	145.69

API PIPES ERW & SEAMLESS PIPES				
Outside Diameter		Wall Thickness		Weight
Size	mm	Sch No	mm	kg/m
14	355.6	80	19.05	158.08
			20.62	170.35
			22.22	182.69
		100	23.83	194.90
16	406.4		25.40	206.80
			4.78	47.29
			5.16	51.02
			5.56	54.98
		10	6.35	62.63
			7.14	70.26
		20	7.92	77.86
			8.74	85.68
		30 (std)	9.52	93.21
			10.31	100.72
			11.13	108.44
			11.91	115.87
		40 (XS)	12.70	123.29
			14.27	138.02
			15.88	152.87
		60	16.66	160.12
			17.48	167.58
			19.05	181.94
			20.62	196.18
		80	21.44	203.48
	22.22	210.53		
	23.83	224.75		
	25.40	238.62		
	26.97	252.37		
	28.58	266.20		
18	457.2		4.78	53.26
			5.56	61.95
		10	6.35	70.59
			7.14	79.21
		20	7.92	87.79
			8.74	96.62
		(std)	9.52	105.14
			10.31	113.63
		30	11.13	122.36
			11.91	130.79
		(XS)	12.70	139.19



←OD→


API PIPES ERW & SEAMLESS PIPES				
Outside Diameter		Wall Thickness		Weight
Size	mm	Sch No	mm	kg/m
18	457.2	40	14.27	155.91
			15.88	172.75
			17.48	189.48
		60	19.05	205.80
			20.62	222.02
			22.22	238.36
		80	23.83	254.59
			25.40	270.43
			26.97	286.15
			28.58	302.00
			30.15	317.47
			30.18	317.73
			31.75	333.07
		20	508.0	
10	6.35			78.54
	7.14			88.15
	7.92			97.71
	8.74			107.56
20 (std)	9.52			117.07
	10.31			126.55
	11.13			136.30
	11.91			145.72
30 (XS)	12.70			151.10
	14.27			173.78
	15.88			192.64
	17.48			211.36
	19.05			229.67
60	20.62			247.85
	22.22			266.20
	23.83			284.43
	25.40			302.25
	26.97			319.94
	28.58			337.79
	30.15	355.25		
	31.75	372.84		
	33.32	390.04		
	34.92	407.39		
22			5.56	75.88
		10	6.35	86.50
			7.14	97.09

API PIPES ERW & SEAMLESS PIPES				
Outside Diameter		Wall Thickness		Weight
Size	mm	Sch No	mm	kg/m
22	558.8		7.92	107.65
			8.74	118.50
		20 (std)	9.52	129.01
			10.31	139.46
			11.13	150.23
			11.91	160.64
		30 (XS)	12.70	171.01
			14.27	191.65
			15.88	212.52
			17.48	233.26
			19.05	253.53
			20.62	273.70
		60	22.22	294.04
			23.83	314.28
			25.40	334.07
			26.97	353.73
		80	28.58	373.58
			30.15	393.00
			31.75	412.61
			33.32	431.78
24	609.6	100	34.92	451.14
			36.50	470.06
			36.53	--
			38.10	489.17
		10	6.35	94.45
			7.14	106.02
			7.92	117.57
			8.74	129.45
		20 (std)	9.52	140.94
			10.31	152.39
			11.13	164.17
			11.91	175.55
			12.70	186.92
30		14.27	209.54	
		15.88	232.41	
		17.48	255.14	
		19.05	277.39	
		20.62	299.52	
		22.22	321.88	
		23.83	344.12	

API PIPE ERW & SEAMLESS PIPE

33 PIPES

PIPES




←OD→

API PIPE ERW & SEAMLESS PIPE

PIPES
34

API PIPES ERW & SEAMLESS PIPES						
Outside Diameter		Wall Thickness		Weight		
Size	mm	Sch No	mm	kg/m		
24	609.6		25.40	365.88		
			26.97	387.52		
			28.58	409.37		
			30.15	430.76		
			30.18	--		
			31.75	452.38		
			33.32	473.53		
			34.92	494.89		
			36.50	515.78		
			36.53	--		
			38.10	536.89		
			39.67	557.53		
		26	660.4		6.35	102.40
					7.14	114.96
10	7.92			127.50		
	8.74			140.40		
(std)	9.52			152.87		
	10.31			165.30		
	11.13			178.10		
	11.91			190.48		
20 (XS)	12.70			202.83		
	14.27			227.42		
	15.88			252.29		
	17.48			277.03		
	19.05			301.25		
	20.62			325.35		
	22.22			349.72		
28	711.2				6.35	110.36
			7.14	123.91		
		10	7.92	137.42		
			8.74	151.35		
		(std)	9.52	164.80		
			10.31	178.22		
			11.13	192.04		
			11.91	205.40		
		20 (XS)	12.70	218.73		
			14.27	245.31		
			15.88	272.18		

API PIPES ERW & SEAMLESS PIPES				
Outside Diameter		Wall Thickness		Weight
Size	mm	Sch No	mm	kg/m
28	711.2		17.48	298.91
			19.05	325.11
			20.62	351.19
			22.22	377.56
			23.83	403.80
			25.40	429.51
30	762.0		6.35	118.31
			7.14	132.85
		10	7.92	147.36
			8.74	162.28
		(std)	9.52	176.73
			10.31	191.13
			11.13	205.98
			11.91	220.33
		20 (XS)	12.70	234.64
			14.27	263.18
		30	15.88	292.06
			17.48	320.81
			19.05	348.97
			20.62	377.02
			22.22	405.40
		32	812.8	
	25.40			461.33
	26.97			488.88
	28.58			516.75
	30.18			544.50
	31.75			571.68
	6.35			126.26
	7.14			141.79
10	7.92			157.28
	8.74			173.23
(std)	9.52			188.66
	10.31			204.05
	11.13			219.91
	11.91			235.25
20 (XS)	12.70	250.55		
	14.27	281.07		
30	15.88	311.95		
40	17.48	342.70		
	19.05	372.84		



←OD→


API PIPES ERW & SEAMLESS PIPES				
Outside Diameter		Wall Thickness		Weight
Size	mm	Sch No	mm	kg/m
32	812.8		20.62	402.87
			22.22	433.24
			23.83	463.49
			25.40	493.14
			26.97	522.74
			28.58	552.54
			30.18	582.31
			31.75	611.45
34	863.6		6.35	134.22
			7.14	150.72
		10	7.92	167.20
			8.74	184.18
		(std)	9.52	200.59
			10.31	216.98
			11.13	233.85
			11.91	250.16
		20 (XS)	12.70	266.46
			14.27	298.94
		30	15.88	331.83
		40	17.48	364.58
			19.05	396.70
			20.62	428.69
			22.22	461.07
			23.83	493.34
	25.40	524.96		
	26.97	556.46		
	28.58	588.34		
	30.18	620.09		
	31.75	651.22		
36	914.4		6.35	142.17
			7.14	159.67
		10	7.92	177.13
			8.74	195.12
		(std)	9.52	212.52
			10.31	229.89
			11.13	247.78
			11.91	265.09
		20	12.70	282.36
			14.27	316.82
		30	15.88	351.72

API PIPES ERW & SEAMLESS PIPES				
Outside Diameter		Wall Thickness		Weight
Size	mm	Sch No	mm	kg/m
36	914.4		17.48	386.48
		40	19.05	420.56
			20.62	454.54
			22.22	488.91
			23.83	523.19
			25.40	556.78
			26.97	590.24
			28.58	624.13
			30.18	657.90
			31.75	690.99
38	965.2		7.92	187.05
			8.74	206.07
		(std)	9.52	224.45
			10.31	242.80
			11.13	261.72
			11.91	280.01
		(XS)	12.70	298.27
			14.27	334.71
			15.88	371.60
			17.48	408.36
			19.05	444.42
			20.62	480.36
	22.22	516.75		
	23.83	553.02		
	25.40	588.59		
	26.97	624.04		
	28.58	659.92		
	30.18	695.69		
	31.75	730.76		
40	1016.0		7.92	196.99
			8.74	217.01
		(std)	9.52	236.38
			10.31	255.72
			11.13	275.65
			11.91	294.94
		(XS)	12.70	314.18
			14.27	352.58
			15.88	391.49
			17.48	430.26
	19.05	468.28		

API PIPE ERW & SEAMLESS PIPE

35 PIPES

PIPES




←OD→

API PIPE ERW & SEAMLESS PIPE

PIPES
36

API PIPES ERW & SEAMLESS PIPES				
Outside Diameter		Wall Thickness		Weight
Size	mm	Sch No	mm	kg/m
40	1016.0		20.62	506.19
			22.22	544.59
			23.83	582.87
			25.40	620.41
			26.97	657.82
			28.58	695.72
			30.18	733.49
42	1066.8		31.75	770.53
			8.74	227.95
		(std)	9.52	248.31
			10.31	268.63
			11.13	289.59
			11.91	309.86
		(XS)	12.70	330.09
			14.27	370.47
			15.88	411.37
			17.48	452.14
			19.05	492.15
			20.62	532.03
			22.22	572.43
			23.83	612.71
			25.40	652.22
		44	1117.6	
	28.58			731.51
	30.18			771.29
	31.75			810.30
	8.74			238.90
(std)	9.52			260.25
	10.31			281.56
	11.13			303.53
	11.91			324.77
(XS)	12.70			346.00
	14.27			388.34
	15.88			431.25
	17.48			474.03
	19.05			516.01
	20.62			557.86
	22.22			600.27
	23.83	642.56		
	25.40	684.04		

API PIPES ERW & SEAMLESS PIPES				
Outside Diameter		Wall Thickness		Weight
Size	mm	Sch No	mm	kg/m
44	1117.6		26.97	725.40
			28.58	767.30
			30.18	809.08
			31.75	850.07
46	1168.4		8.74	249.85
		(std)	9.52	272.18
			10.31	294.47
			11.13	317.46
			11.91	339.70
		(XS)	12.70	361.90
			14.27	406.23
			15.88	451.14
			17.48	495.93
			19.05	539.87
			20.62	583.12
			22.22	628.11
			23.83	672.39
			25.40	715.85
			26.97	759.18
		48	1219.2	
	30.18			846.89
	31.75			889.84
	8.74			260.78
(std)	9.52			284.11
	10.31			307.39
	11.13			331.40
	11.91			354.62
(XS)	12.70			377.81
	14.27			424.11
	15.88			471.02
	17.48			517.81
	19.05			563.73
	20.62			609.53
	22.22			655.93
	23.87			702.24
	25.40	747.67		
	26.97	792.98		
	28.58	838.89		
	30.18	884.67		
	31.75	929.61		



←OD→

API PIPES ERW & SEAMLESS PIPES				
Outside Diameter		Wall Thickness		Weight
Size	mm	Sch No	mm	kg/m
52	1320.8		9.52	307.97
			10.31	333.23
			11.13	359.27
			11.91	384.45
			12.70	409.63
			14.27	459.87
			15.88	510.79
			17.48	561.59
			19.05	611.45
			20.62	661.20
			22.22	711.62
			23.83	761.92
			25.40	811.30
			26.97	860.56
			28.58	910.47
			30.18	960.27
	31.75	1009.15		
56	1422.4		9.52	340.77
			10.31	359.06
			11.13	387.14
			11.91	414.30
			12.70	441.44
			14.27	495.63
			15.88	550.56
			17.48	605.36
			19.05	659.18
			20.62	712.87
			22.22	767.30
			23.83	821.61
			25.40	874.93
			26.97	928.14
			28.58	982.06
			30.18	1035.87
	31.75	1088.69		
60	1524.0		9.52	355.69
			10.31	384.89
			11.13	415.00
			11.91	444.15
			12.70	473.26
	14.27	531.39		

API PIPES ERW & SEAMLESS PIPES				
Outside Diameter		Wall Thickness		Weight
Size	mm	Sch No	mm	kg/m
60	1524.0		15.88	590.33
			17.48	649.14
			19.05	706.90
			20.62	764.55
			22.22	822.98
			23.83	881.29
			25.40	938.56
			26.97	995.70
			28.58	1053.64
			30.18	1111.46
			31.75	1168.23
64	1625.6		9.52	379.55
			10.31	410.73
			11.13	442.87
			11.91	473.99
			12.70	505.07
			14.27	567.14
			15.88	630.10
			17.48	692.93
			19.05	754.63
			20.62	816.22
			22.22	878.66
	23.83	940.98		
	25.40	1002.20		
	26.97	1063.28		
	28.58	1125.22		
	30.18	1187.06		
	31.75	1247.77		